


PRODUCT OVERVIEW

March 2015






Positioning





Positioning







Genero Studio (GST)


Design report data & graphical layout

Genero Report Designer (GRD)

Standalone designer for end-users & developers

Genero Runtime Engine (GRE)

Execute report via runtime system (DVM)








- Enterprise reports
- Streaming architecture
- Scalable
- Dynamic layouting
- > API driven
- Template driven
- Maintainable












Architecture





Streaming architecture

- Immediate results
 - No temp tables
 - Real-time data
- Fast throughput
 - Simultaneous execution of multiple selects
 - Fast merging of multiple data sources
- Very large reports
 - Reduced resource consumption
 - Uses less disk space
 - Less memory
 - Optimised report management

Burts		1, rue de Bert 17380 Scrimp Honec+23 18 MR: +23 08	Hogmonit Taule Tours (3.00 10.44 20 (3.00 10.44 21 (3.00 10.44 21 (3.00 10.44 21 (3.00 10.44 21)	
	no Denis otx 563, i 10 vietne 168 centes	and 2	ringe 1824	
ustomer Order				
Nr Date:00/00/2000	Dear	Hei.2.0	0-pn: //0)	
tern to Dearragion	Generally.	and Price 1	Fara	
Ref 2-3 Hom HSHS/3008 Ref 3.0 Hom ISHS/2008, continued Total from pre-			1.0	
Sal todal of today 5.5 hors 00002000 PullOSA Plang saturative	20440	200 -	17.8	
PLICOLA Date	4.8	22.0	82.8	
ATLENA Picture Ranse A	18	710	75.8	
24 Set		07.0	NT.B	
EV-004-A Cherro parte Unit	18	W.U		
od oter 1.0 hun dividication				
er 1 d Hoer HE-RE2008, commund. Total here poer set total of onter 1 if more 04050008. FU-801-4 Sound reservables und chains Und	18	3496.0	200.8 200.8 1400.8	
 FG-806-A Office ched 	18	428.0	100.8	
MJ-805-0-Solaring percent	1.0	- 18	-13	
30.4 - Pick at 16 36.3-800-C Research	1.0	34.0	20.0	
Pack of 10	18	1.0	-14	
-e Post a Adden	1.8	4.58	4.08	
P ETERICA Table weren pastern and hat	18	10.0	10.0	
of other 1.0 Run; BUBC2008			1000 11	
the base of the base		The web	biane cation	
			Today 1	



19

Dynamic layouting


- One report fits all
- Adapts to different:
 - Fonts
 - Field values
 - International languages
 - Paper sizes and orientation


rder an ID Description as contrued. Total from prev. SA Filing cathenits Unit SA Filing cathenits Unit Dist A Description Dist A Description Dist A Description Dist A Description Dist A Description B. B. B. B. Contrudo, J. Total from prev.	Duantity 1.0 1.0 1.0 1.0	Unit Price 17.0 22.0	Costomer Order		
em 10 Description : : : 8. 6. continued., Total from prev. on 00009006 54. Filong cathents Unit 0.54. Biodes 16.4. Picause trame 4. 16.4. 16.4. Disause trame 4. 16.4. 16.4. Disause trame	1.0 1.0 1.0	17.0 22.0		* *	44 100 41
em 10 Description : : : 8. 6. continued., Total from prev. on 00009006 54. Filong cathents Unit 0.54. Biodes 16.4. Picause trame 4. 16.4. 16.4. Disause trame 4. 16.4. 16.4. Disause trame	1.0 1.0 1.0	17.0 22.0		* *	44 100 41
8 6: contrued., Total from prev. 305-A Fairg cabinets Unit Unit Unit Unit Unit Unit Unit Unit	1.0 1.0 1.0	17.0 22.0		* *	44 100 41
8 6: contrued., Total from prev. 305-A Fairg cabinets Unit Unit Unit Unit Unit Unit Unit Unit	1.0 1.0 1.0	17.0 22.0		* *	44 100 41
8 6: contrued., Total from prev. 305-A Fairg cabinets Unit Unit Unit Unit Unit Unit Unit Unit	1.0 1.0	22.0		0.01	**
25-A Fang cabinets Unit 103-A Glober Unit 114-A Picture trame & Unit 204-A Choice game Unit	1.0 1.0	22.0	a territoria		
Unit 103-A Olober Unit 116-A Picture transe & Unit 206-A Chiese gamer	1.0 1.0	22.0	And the second s		
Unit 116-A Picture trame 4 UNR 2064 Chess game	10		W Contractor and and the		H
UNI XX4 A Chess game			 Autority (and 	10.000	
004-A Chiesa game	1.0	73.0	A AND A DESCRIPTION	44.1	10
06/09/2008		97.0	and a second second	14 ME	-
8 stationed. Total have seen:			- mentioner	10. 4.00	
			A	- 16 m	-
101-A Board room table and chains	1.0	1490.0	State of the second line of the second		-
Ueit			T	14	
			A constraint		
Blue - Pack of 10		1.676			
Pack of 10					
110-A Pen	1.0	3.5	-		
		here the feedballant from		4.35	
		Conceptor States	4	18.0	
		of the second		1650 16	
	1	049	list		
	12	Carl Street		1680-15	
	14	No.		2020	
Same parties	-	100 M 11	-	2559 C	
after par		1		3743	
e ie ie.			8	32.0	
14 10.00		10.0		86.9	
4 48 884			3	86.9	
0.00				60.9 122.0	
			10 10 10 10 10 10 10 10 10 10 10 10 10 1	25152	
alore a		-	1 1 - 1		
		14	31 M 201	11 9	11
	Borney gen Proc. Borney gen Proc. Pack of 10 10.4.7 Proc. Pack of 10 10.4.7 Proc. Pack of 10 10.4.7 Proc. Borney gen Proc.	2054 A Office data 10 201	036 A Office draw 1.0 1.0 1.0 000 A Office draw 1.0 1.0 1.0 000 A Office draw 1.0 1.0 1.0 000 A Office draw 1.0 3.0 Provide draw 1.0 000 A Office draw 1.0 3.5 Provide draw Provide	USA A Dico chase 1.0 129.0 BD.aPack of 10 1.0 1.3 D2.C Nambook 1.0 3.4.0 Pick of 10 1.0 3.5 DiscPack of 10 1.0 3.5 Pick of 10 1.0 3.5 DiscPack of 10 1.0 3.5 Pick of 10 1.0 3.5 DiscPack of 10 1.0 1.0 DiscPack of 10 1.0 1.0 DiscPack of 10 1.0	036 A Office draw 1.0 120.0 Image: contract of the state draw of




Dynamic layouting

- One report fits all
- Adapts to different:
 - Fonts
 - Field values
 - International languages
 - Paper sizes and orientation











API driven

- > Java
 - Supports J2SEE & J2EE,
 - Supports JAXB, (Schema generation and marshalling)
- Net
 - Supports Xsd.exe/XmlSerializer, (schema generation and marshalling)
- ► PHP
 - BAM data source generation.





COBOL 4GL

Page | 12



API driven

- > 4GL
 - Compatibility mode,
 - Supports rdd/xsd, (via fglcomp – build rdd)
 - Marshalling via REPORT object.
- Cobol
 - Compatibility mode,
 - BAM data source generation.





COBOL 4GL



Respects existing report code

• Same code, new output formats.

New output formats

- PDF,
- Browser,
- MS-Excel[®] and MS-Word [®].

Old & new reports co-exist, sharing same output formats


- Simplify & reduce existing code,
- Eases migration, works immediately with existing reports,
- Migrate priority reports first, embellish the rest later.





- Multiple, simultaneous input data sources
- Multiple output formzats from single data source
 - Ex: data rendered as table or chart

Name			Туре	Sample Data	^
🖻 📏 Orde	rReport.rdd - re	port_all_orders			
B Repor			, ,		
🗐 Gr	oup userid				
Ē	Group orderid				
	😑 Group linenu				
	OnEver	yRow			
		orderline.orders.orderid	INTEGER	42	
	/	orderline.orders.userid	CHAR(80)	foobar	
	/	orderline.orders.orderdate	DATE	2010-09-20	
	···· 🥒	orderline.orders.shipfirst	CHAR(80)	foobar	
	··· 🥢	orderline.orders.shiplast	CHAR(80)	foobar	
	· · · /	orderline.orders.shipaddr1	CHAR(80)	foobar	
		orderline.orders.shipaddr2		foobar	
		orderline.orders.shipcity		foobar	
		orderline.orders.shipstate		foobar	
		orderline.orders.shipzip		foobar	
		orderline.orders.shipcou		foo	
	1	orderline.orders.billfirstn		foobar	
	· · · /	orderline.orders.billlastn	CHAR(80)	foobar	
	/	orderline.orders.billaddr1	CHAR(80)	foobar	
		orderline.orders.billaddr2	CHAR(80)	foobar	~






Data sources – 4GL

Schema from 4GL code: REPORT


- RDD schema produced by the compiler (fglcomp)
- PRINT, PRINTX variable
- Iterators and conditional handled (FOR, FOREACH, IF...)





Schema from Java « POJO » object:

- XML-Schema produced by the schema compiler (schemagen)
- Collections are recursively iterated
- Lazy retrieval supported via Iterator using coroutines (yield)






Data sources - .Net, C#

Schema from C# object:

- XML-Schema produced by the schema compiler (Xsd.exe)
- Collections are recursively iterated
- Lazy retrieval supported via Iterator using coroutines (yield)






Data sources – PHP generated source & data

Schema from BAM diagram:

• XML-Schema produced by the schema generator




Page | 19



Data sources - Cobol


Schema from COBOL code: REPORT SECTION used

- XSD schema produced by schemagen compiler
- INITIATE, GENERATE and TERMINATE instructions remapped to C-Functions
- Groups triggers based on CONTROLS





Genero Report Designer







Template driven

- Create report design from templates
 - Design (.4rp) generated from:
 - a template and
 - a data schema.
 - Support for JAXB (schema generation and marshalling).
- Used at design time
 - Generated design can be saved for further mods.
- Command line interface to create the design (.4RP)
- Used at runtime
 - Internally generated design used at runtime.



Report templates






Page | 23



Report templates





Report templates

ata Source & Tamplate	Perometer									1
lesign Tenglato	-							All trace and any factor of the		()K
mplato Design File Name	1005008Ta	mulate				P	OTHER PARTING & DECIMATION	INVALUED GUALITY HIGH Y EXPLANATE		Careri
ata Seorte							CARRY UNITS PARADIS.	PULLS COMMEND		Conversion of
dd File Name	DuderRepp	4		-	6					HEAL
	1202001001				3	Name and Distance in Proceedings of Street, or other	etta, A. Ren Drain, Romers Carers (2018, 1939).	Harris painting & decentiling Decisi Harris		
ad File Navie	OrderRepo	vt-report,	el_orders			Fred Warper		A Main Interet		
eport Name	report at	protern		-		Pred Ginggs 117 Eliza, Clenur		Britise's Central GLD 4001 Central Information		
in strag & drop to select f	with					Salve Gell Lander		Photos: 1300 234 41/7		
Fields not proted				17	elds contained in the report			Fax: 100 234 458		
ardenine.orders.ordenal			1	- D/I	rderline ineiten ordend			Ender Control and Part and Contract		
ardenino.orders.usend					rderline Inteltoni Jinesum			Vice: www.fume.paniling.com.au		
ordenino, ordens, ordeninte			1		nderline.lineitem.itemad					
andarima ordens shipfinste			1.00		rderbre Imelteris quantity	Involce				
anderline, orders, shiplastra anderline, orders, shiplastra				19	nder ime Jimentern van tjortoe	Title: Swaning App	artment Proper Project	A COMPANY OF THE OWNER.		
zyderline, orders, shipaddr3				-		82.000 S2000		Prusiek ML 3 Cuetorer St. 504gar Order Date: 08/29/2014		
ardenine.ordens.shipoty			S	2		Dear Mr. Wogge.				
arderline orders, shipstele			100			Autority to your but involve 5 for th	order of 08/04/0014 proper recision frames to another applications from project.			
urderline orders, shipzip	3		1.54			Concession of the local division of the loca	The state of the s	United at 1	6	
underline orders, shipcaunt underline orders, billfinstna						1	EFU-OBEA EFU-OBEA	122.40		
arderina orders billastrar							4 90-801-8 4 90-801-8 8 80-801-8	1.30		
erderline.orders.billaddr1	50						6 0.2 201A 7 0.2 201A	730		
arderlino.ordors.348addr2							8 20 000 C 8 20 000 C	#19 0.16		
arderbina.ordero.billcity arderbina.ordero.billstate						1	12 51-006-A 11 51-006-A 11 00-809-A	9.40		
ardentine.ordens.bildate							12 93-909-A	4.50		
			1			1	14 SU-010A	3.50		
Sacatabler Happing						8	18 84 211 A	1726 126 120		
Name		iumeric .	Value			1	18 AR-20-A 19 AR-211-A	1000		
afficeMobilePhonemumber		11	1300 234 457			Į.	20 AB-212-A 21 TB-08-A	25.00 45.05 35.90 32.00		
efficeFeediumber		10	1,000 234 458			8	22 TR-087-A 22 TR-086-A	30.90 52.00		
affice/iddrese		- 10	4. Main Street			÷	2N TR-OID-A 2N TR-OID-A	31.80 17.30	100	
konterColumn2Raw2		10	Account No.: 30230438				TH TH OTLA	11.80 0.90		
Sonthiame		- 11	Arial			<u></u>		Sette 1 years 2		
fasterColumn2T #le footerColumn2Raw1		-	Bank reformation: Bank of Operationd			Company locate	Stat photosilar	The supervise of	-	
over canantasawa	_	-	eary or description		*		A LOW H	0.07-53		
anniana cine						90				
mia -en GenerateReport -	debuglevel 9	-schemal	Retaine "OrderReport-report.	.st.o	rders.auf" -templateFileName "OIN5018Templata.4rp" -triggerMapping "(Gr	ep userid.outertiroupid.0	Group entend.knerGroupe).(Ori	iveryRow, rows)* -rookElementhisme		
"Report" -fieldlarzeFatters	ne "orderline	Scientiserry, o	orderich orderban baeiters Soen	tan, de	derina Jaelan, Ranki, orderina Jaalan, guantit, orderine Jaelan, autorio 8. DECORATING"), (retainediationant, "WE PART WITH PASSION"), (core	" -plackfulderManning "()	fanthiame, "Aris!"), (showNean	res. ingres.	1	
compenymoniants.", PU	LOT INSURED	1. loffice	Name, "Herris panding & deco	orative	p""}. (officeAddress, ""4. Main Street""). (officeCts, ""Insidenc Central QLD 40	03"").(addressFirstName,"	"((ordertine orders biffinations	tree(0)**).	25	
addreniLasthores," [[ard	fertine onder	o h Restric	ma.trm(]))**),(addressLine),	·**(](0	derline.orders.bliaddr1.mm()))**).(addressLine2,**((orderline.orders.blia	Mr2.trin()))**).(address2	bpCode,""([Inderline.orders.bit)	p.trive()))***),		
										1 million
				_						02.7
									15 1	100
									25 1	185
										8.20
								de alt	6	13
								ALC: NOT THE REAL OF	1	611 2
								10 10	1.4	
								A State In	1.6	She for
								A SALE PROPERTY	-	100
								A REAL PROPERTY AND A REAL	A COLORED OF THE	1101
									1000	Ser March



Schema based template editing

- Predefined schemas for specific report classes,
- Type-safe editing of templates,
- Easy conversion of reports into templates.

High flexibility

- Template field toolbox object for creation of document objects based on fields,
- Placeholder substitution,
- Support for all types of data representation (e.g. from primitives, tables, pivot tables, charts, etc.),
- Support for groups and typical layouts based on groups,
- Structure of actual data and structure of data in template can differ.



Report templates - samples



			Carried forword	1,173.5
dents	John Denis		Carried forward	+120
3.0	02(30/2014		Catried forward	112.0
5	4 EN-004-A	.1	87.00	
Tetal of 3.0:				209.0
Tietal of denis:				209.0
dupont	Jean Dupont			
1.0	02/25/2014			
3	1 FU-001-A	3.2	1,400.00	
(E)	2.FU-006-A 3.BU-005-0	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	129.00 1.30	
1	4 90-002-0	4	14.00	
	5.9U-010-A	1.	3.90	
	6 9J 003 B 7 B4010 A	1	4.35 18.00	
Total of 1.0	Contraction of the	1.		1,000 1
Total of shipont:				1.660 1
			Total until this point	2,960 5

			Carned ton	wand .	1.001.5
OTTE		ato Sens			
3.0		62/20/2014			
	1 PU-005-A 2 PU-003-A 5 AR-014-A 4 EN-004-A	Filing sabinets Globe Protain Name 4 Chess game		17 00 22,00 73.00 97.00	
Table of 3.0.		STRUCTURE STRUCTURE			209.0
stal of denie					209.0
upont		was Dupont			
1.0		02/20/2014			
	1.FU-001-A 2.FU-005-D 4.9U-002-C 5.5U-010-A 8.SU-010-A 8.SU-003-B 7.EPI-010-A	Baard room table and charts Office chair Ontening percise Notebook Pee Selearns Table tervise paddles and tail	9 9 9 7 9 7 9	1,490.00 129-00 1.38 94.00 1.58 4.35 18.00	
			Total ur	the poort	1,680.1
			Total unit	The point	1,000.1

Page | 27





Maintainability

- Manage large numbers of reports
- Separation of report logic from presentation
 - Isolate database from external providers
 - Redecorate existing reports
- Version control
- Schema error checking
 - Type safe expressions
 - Schema modifications
 - Design, rather than runtime time discovery
- Template driven





Pixel exact rendering

- Exact output as GRV,
- Text is declared as strings keeping the document small.
- Creation of WOFF fonts on-the-fly
 - Supports all fonts seen by GRE (Type1 and TrueType),
 - Fonts are cached and can be shared between documents,
 - Good performance also for Asian fonts.
- Streaming (progressive) viewing and printing
 - Support of random navigation in unfinished reports.
- Support for very large documents
 - Works well on low bandwidth and/or high latency connections.
- Reports can be bookmarked and shared via URLs



- Calendar
- CategorychartByAreasAndCategories
- CategorychartRevenueByCategoriesAndCusto mers
- CategorychartRevenueByCustomersAndCatego ries
- DynamicPivotTable
- GenericList
- GroupedTableDemo
- ListDemo
- MapchartRevenueByCategories
- MapchartRevenueByCustomers
- MapchartRevenueByCustomersAndCategories

- MasterReport
- OrderLabels
- OrderList
- OrderReport
- OrderReportASCII
- OrderReportASCII4
- OrderStock
- StaticPivotTable
- TableDemo
- > <u>XYChart</u>
- Chinese Report



Report Engine

- Graphic rendering of text reports
- Quick and easy data layout
- Advanced layout
 - Position & size data elements
 - Avoid data truncation
 - Translation & internationalization
 - Design single report for multiple paper sizes

Serve 277 Devis Drobt		Infobiatt Adresse Kunde
		software 2005
		Athensdaten
lations Grad	Talafton	08105 77
1.0	Telefas	0510577
barichensuffieiere ve Gebolut	Hearuty E-Adult	support@s.de
229 G	(Constantion of the	mpegic ce
	Driving	250
EDVSoftwaretaux	Parrillianers	250 # Tage 2% other 30 Tage retto
Verteeluningamar Herr E Verkachgeber Reigion Bud	Presidenciph game	
Undergruppi unsthängig		
		Kostenartan
6		
5.000.000		
4.500.000		
4.000.000		
3.500.000		
3.000.000 +		
≅		
₫ 2.500.000		
2.000.000		100 mm
1 700 000	-	-
1.500.000		
1.000.000 +		
500.000		
0	software	2
Umsatz Betriebsleistung		g 🖬 Sondereinzelkosten
🗖 Deckungsbeitrag 🗖 Ergebnis	N2 11	
		1.5
rest file set for the		
general local on theory issues	(heating)	tame Fr 13.01.2006 last 00.08102 here 1
10	Street 1	1
	1. S.	Frid
	1. 60	
	the second second	
COLUMN TO A		
0.00	2000	
6800		Page



Report Engine

- XML streamed output
- Low memory consumption
- "Print-as-you-go"
 - Rapid 1st, 2nd, 3rd... nth page delivery
- Print very large reports
 - No need for temp files
 - Merge data/blobs from
 - multiple sources
- Relative or absolute positioning of elements
 - Headers/footers on page breaks
 - Horizontal/vertical box propagation

			Stave Miller 251 O Conner R Suite 245 75030 Inving TX United States		
Data COLO	er Ord	er	Order No.	,	Origin: MTC
- Data - Serve	Item ID	Description		Unit Price	Tutal
18.1	AR-011-A	Picture frame 1	1	17.00	17.00
and a	FU-001-A		hairs 1	1490.00	1490.00
	10-008-A	Unit Paper clasp	1	0.80	0.80
1000	A-110-LIB	Unit		6.10	6.10
~	SU-004-A	Unit Cipboard	<u></u>	7.20	7.20
		Unit			
40		Stae ord preet pens Stae - Pack of 12	1	11.10	11.10
6	8U-001-F	Green - Pack of 12	•	11.10	11.10
		Magnifying plass Unit	(†	0.90	9.90
10	GU-007-A	Measuring tape Unit	1	4.80	4.00
-e	513-003-8	Scissors Pack of 5	1	4.25	4.35
103	TR-207-A	Luggage 2 Unit	+	38.00	38.00
-	TR-001-8	Toothtmish	:5	2.50	2.90
	EN-002-A	Pack of 3 Backethall Unit	1	32.00	32.90
	ar 1990a - 1991a	Ng. Sono (Li			5 1434.85 or the page 1



Data sources

Hand coded data sources


- Allows reusing existing objects (e.g. JPA/Hibernate classes)
- Enables custom data sources (e.g. web service).
- Requires schema-from-code utility and marshaller to be workable (Available for 4GL, Java and .Net).

Generated data sources (via. BAM)

- Abstracts language specific details
- Works for languages without schema compiler (e.g. PHP, C, COBOL)
- Enables the creation of identical data sources in different languages.



Reverse side printing





Enterprise class reports – output formats

> Output formats:

Excel Word PDF HTML SVG

(Configur	ation	
Report File	OrderReport 🗸	
Output as	🔘 Image	ОК
	O PDF	Cancel
	⊖ svg	
	Excel XLS Spreadsheet	
	O HTML	
Action	Preview	
	🔘 Save On Disk	
		OVR _;;





Enterprise class reports – output formats MS Excel

Excel output


- Output any REPORT to Excel
- Design Excel reports from Report Designer
- Graphical elements rendered as images

	💕 🖌 🖪 🖨 🖂 I) 🥙 🛍 X 🗈 🖺 - <	🌮 🌱 - (° - 🧶 Σ - A 🕹 A 🕯
	A1 🔻 🏄		
	A	В	C
1		Revenue by Categor	ies and Customers
2	Insert categories	Customer	Revenue
3	Furniture	John Denis	39.00
4	Furniture	Jean Dupont	1,619.00
5	Furniture	Pedro Garcia	39.00
6	Furniture	Fred Bloggs	278.00
7	Furniture	Steve Miller	1,490.00
8	Office Decor	John Denis	73.00
9	Office Decor	Fred Bloggs	293.00
10	Office Decor	Steve Miller	17.00
11	Entertainment	John Denis	97.00
12	Entertainment	Jean Dupont	18.00
13	Entertainment	Pedro Garcia	32.00
14	Entertainment	Fred Bloggs	272.00
15	Entertainment	Steve Miller	32.00
16	Supplies	Jean Dupont	43.15
17	Supplies	Pedro Garcia	4.00
18	Supplies	Fred Bloggs	42.70
19	Supplies	Steve Miller	55.35
20	Travelling	Pedro Garcia	11.90
21	Travelling	Fred Bloggs	175.80
22	Travelling	Steve Miller	40.50
23			



Excel output

- Output any REPORT to Excel
- Design Excel reports from Report Designer
- Graphical elements rendered as images








Enterprise class reports – output formats MS Excel

Excel output

- Output any REPORT to Excel
- Design Excel reports from Report Designer
- Graphical elements rendered as images

a Userod br-asia tr-asia	Report Title Here	Totaprise 279:00 209:00 209:00
to-exe to-exe	Suite 503, Level 5.	209-00 70.00A
\$5-KHR		209.00
		279:00
* (5-838	Gale 503 Level 5	209.00
		-2C6+2





Enterprise class reports – output formats MS Word

septuta + 20++ ⊕ ⊕ ⊕ 		H - 1 - H -		8
Office Supp	olies	4 / 78 Pt		aris
	Fr 17 Si	ed Bloggs 77 Elms Cr W4 8AF Lo	escent ndon	
	11	alter of Winson's	Le ma	
Customer C		nited Kingd	lóm	
Customer C		order N		Origin: MTC
		Order N		Origin: MTC Total
Order Date: 01/25/2011 Item 1D Order 5 from 01/25/2011 Partial total of order 5.0	Description	Order N	ło.: 5	10 10 10 10
Order Date: 01/25/2011 Item 1D Order 5 from 01/25/2011 Partial total of order 5.0	Description from 01/25/2011 : Grandfather clockUnit	Order N Quantity	io.: 5 Unit Price	Total
Order Date: 01/25/2011 Item 1D Order 5 from 01/25/201 Partial total of order 5.0 FU-004-A FU-008-A	Description from 01/25/2011 : Grandfather clockUnit	Order N Quantity 1,00	io.: 5 Unit Price 122.00	Total 122.00
Order Date: 01/25/2011 Item 1D Order 5 from 01/25/201 Partial total of order 5.0 FU-004-A FU-008-A	Description from 01/25/2011 : Grandfather clockUnit Office chairUnit Table lampUnit Blue and green pensBlue -	Order N Quantity 1,00 1,00	lo.: 5 Unit Price 122.00 129.00	Total 122.00 129.00
Order Date: 01/25/2011 Item 1D Order 5 from 01/25/201 Partial total of order 5.0 FU-004-A FU-008-A FU-011-A	Description from 01/25/2011 : Grandfather clockUnit Office chairUnit Table lampUnit Blue and green pensBlue - Unit Blue and green pensBlue -	Order N Ouantity 1,00 1,00 1,00	lo.: 5 Unit Price 122.00 129.00 27.00	Total 122.00 129.00 27.00
Drder Date: 01/25/2011 Item 1D Order 5 from 01/25/201 Partial total of order 5.0 FU-004-A FU-008-A FU-011-A SU-001-A SU-001-D	Description Description from 01/25/2011 : Grandfather clockUnit Office chairUnit Table lampUnit Blue and green pensBlue - Unit	Order N Ouantity 1,00 1,00 1,00	lo.: 5 Unit Price 122:00 129:00 27:00 1.20	Total 122.00 129.00 27.00 1.20



Enterprise class reports – output formats HTML & PDF

Burls

Customer C)rder	Lane Di- Lane Di- Linit Victor 2001 An Angeles	- mini
The services		10.000	0.00
99100	Designer	Gern 1	(demailter)
inter 28141 Demonstra			
Oniar 71144, 20030202	in command. Tony woon		
Party and a line	the second		
S FLORE	- Filing columnity	10.0	17.06
# F0.081-4	a Opine Lint	1.00	21.90
E	 Picture Percent 	ing in the	75.00
at Children	A Over previo	4	17.00
Tablitative Altory			
THE TRACTORY	institute Touchort		
Paragettine of 1 1 1	the section		
W PUINTA	Weint the lot		148230
Picone.	i Office char (Ne		120.00
4 mont	Colonguents Even-Tixte (T	•	130
Sint.	C : Notes - Pare	a)) (108	34.50
1 3000	A. Decision	100	191
- C. S. (1)	 Somethics 	40.000	470
P Germa	Automation and	100	11.00

Front J's Description of 1


harrow the selected management being

Inter of the control of the co		territ.			-	Teres .	1.04
		analist redeal	Same				-
		+74++	-				
 A state of the sta	1.1	NU1114	-	100	1.00		
111 H 33 3							
A sea and the sea of							
a second second second second							
	- 140						


Corpays	1 United Spiriture			Didel Ifame		2(03.05.14 Page)
Unit:	to A.	1.1	releved assessing by	aren (i) .		
-	1.5.5.01		3	PH COMIT		
Deprotor	30 1	III. 190903				
Sizere.	John Dente	PLUES.	17.00	Films cationsts	P	4
-	June Dente	Hukata	22.00	Gree	-	9
	.am Dette	A8-314	73,00	Pittare Name 4	-	
5-214	Julei Dette	E31/304	97.00	Onspen	-	-
Total children 3:0 208.0 Beginsof de	en la cara	001 BADACE			_	
64.A.	Juli Dalim	(1346)	1,490.00	Board yoom table and chains	4	17
748	Jun Dami	RJOR	129.00	Official	-	¥
54.4°	Jean Datert	511-005	1.30	Coloring: particle	2	4
944) -	ANT CAUNT	50-012	34.00	Meterocox	1	
Circley	+ Mitchell Spottum		- Cira Tarm	Per la companya de la		2001-08-147%ppx 2
Oie:	C Allow		potenti ascanting i protei al and ing nue	694C		
2			1000	Sector		
10	Super-	33,010	3.50	Yes.	12	1

435

1. -0



Steve Miller





Page 'n of M'

- 'M' page count for all pages or sub-ranges
- Display total number of pages 'M' on each page

	1,00	3.30	3.00		
	1,00	4.35	4.35	5	
addles and ball	1,00	18.00	18.00)	
			1680.15	; _	
http://www.4js.com		Total until this point:	1889.15 page	1 (m	
				Listening on port 6401	
					41



Enterprise class reports - labelling

Borders and padding

- Border style & thickness
- Padding:
 - Defines outer space
- Marging:
 - Defines inner space

and the second se	Database SCH Jook Window		11 N N A A	
	PART INS			
ders.4m			Structure View	6
an ta	Nice Not H	ger stan stion		WordBox8_1_7 Layout Node1_1_ WordBox8_1_1_0 Layout Node2_7
First name Last name Address1 Address2 Zp code Cby	First name Last name Address1 Address2 Zip code City	Fist name Last name Addresst Address2 Zip code Oty	4 (24)	Layout Node2_9 Layout Node2_9 Secret Node2_10
Country'	Country	Layout Node1_1_2.RWPXMLLayou	/thiodeview	5 Ville
¹ First name Last name	First name Last name	First name Last name	- Hasting	WHERE
Address Address Address D code Cty Country	Address1 Address2 [2]p code City [Country	Address1 Address2 Zp code Oty Country	Width Top Width Right Width	4
L		-'L	Bottom Width	1
First name Last name	Fint name Last name	First mane taxi matte-X	Left Width	
Address2	Address1 Address2	Address1	* Border	
Zip code City	Zip code City	Ze code City	Width	3
Country	Country	Country	Top Width	
Contraction in the second s			Right Width Bottom Width	
First name Last name	First name Last name	Fist name Last name	Left Width	
Address1 Address2	Address1 Address2	Address1 Address2	Style	dotted
Zp code Chy	Zip code City	Zip code Oty	Top Style	QUISES
Country	Country	Country	Right Style	
			 Bottom Style 	
LUIS .		-	Left Style	





XML data sources

XML as data

XML schema(or DTD) as report data definition

Report Designer

Dataview shows XML schema Report design based on XML schema


Third party product integration will use XML data sources





Pivot tables

- Charts with multiple dimensions,
- > Table with fixed column role types (measure & dimension),
- > Table rows known as 'facts'.









Table layout





Barcodes

















Page | 46



Quick response (QR) codes

Hello World: width="3cm"

http://www.4js.com





Hello World: size not specified (default error correction (3))





Sub reports

Sub-reports

Produce REPORT data using sub-reports Design a single graphical representation

Templates

Store part of the graphical representation in a Template library Re-use elements of the template library (aggregation) Parameterized template elements User defined regions in template elements







Sub-reports

REPORT data using sub-reports Design a single graphical representation

> Three column sub-report in a 'detail' section. When more data is added, the sub-report will stretch the section downwards adding rows but keeping three columns across.

0 \$3,758.1 \$5,258.1 \$ Total
0 \$1,500.0 0 \$3,758.1 \$5,258.1 4 Total :
0 \$3,758.1 \$5,258.1 \$ Total :
t Total
0 \$998.0
t Total
0 \$2,057.0
0 \$550.0
0 \$850.0
0 \$604.7
0 \$2,281.2
\$6,343.0





